

ANAF GROUP



**ABC Fire Extinguishing Powder
100% Made in Italy**

Tech Data

ANAFGROUP

		A32	A33	A35	A42
Fire classes		ABC	ABC	ABC	ABC
Extinguishing agent		Monoammonium phosphate	Monoammonium phosphate	Monoammonium phosphate	Monoammonium phosphate
Chemical composition	Monoammonium phosphate	20,5% ± 1,5%	26% ± 2%	30% ± 2%	40% ± 2%
	Ammonium sulfate	74,5% ± 3%	64% ± 2%	60% ± 2%	55% ± 2%
	Additives	<10% ± 1%	<10% ± 1%	<10% ± 1%	<10% ± 1%
Apparent volumetric mass (EN615)		0,84 g/ml ± 0,07 g/ml			
Granulometry (EN615)	125 µm	10% ± 5%	10% ± 5%	10% ± 5%	10% ± 5%
	63 µm	34% ± 8%	34% ± 8%	34% ± 8%	34% ± 8%
	40 µm	49% ± 8%	49% ± 8%	49% ± 8%	49% ± 8%
Temperature ranges		-80 °C - +80 °C			
Conformity		EN615 certified	EN615 certified	EN615 compliant	EN615 certified
Packaging single dose		1 Kg	1 Kg	-	-
		3 Kg	3 Kg	3 Kg	3 Kg
Packaging bulk		12,5 Kg	12,5 Kg	12,5 Kg	12,5 Kg
		25 Kg	25 Kg	25 Kg	25 Kg
		1.000 Kg	1.000 Kg	1.000 Kg	1.000 Kg
		Other packaging available on request with minimum order quantity	Other packaging available on request with minimum order quantity	Other packaging available on request with minimum order quantity	Other packaging available on request with minimum order quantity



Full internal production

We manufacture the extinguishing powder within our plants: the entire production cycle is 100% under our control



Top quality

We respect the most stringent quality standards, sometimes stricter than the regulation



Top performances

We designed the production cycle to guarantee constancy and to maximize the performances of the extinguishing powders

Tech Data

ANAFGROUP

		A52	A72	A92
Fire classes		ABC	ABC	ABC
Extinguishing agent		Monoammonium phosphate	Monoammonium phosphate	Monoammonium phosphate
Chemical composition	Monoammonium phosphate	50% ± 2%	70% ± 3%	87% ± 3%
	Ammonium sulfate	45% ± 2%	26% ± 2%	10% ± 1%
	Additives	<10% ± 1%	<10% ± 1%	<10% ± 1%
Apparent volumetric mass (EN615)		0,84 g/ml ± 0,07 g/ml	0,84 g/ml ± 0,07 g/ml	0,84 g/ml ± 0,07 g/ml
Granulometry (EN615)	125 µm	7% ± 5%	7% ± 5%	7% ± 5%
	63 µm	34% ± 8%	34% ± 8%	34% ± 8%
	40 µm	49% ± 8%	49% ± 8%	49% ± 8%
Temperature ranges		-80 °C - +80 °C	-80 °C - +80 °C	-80 °C - +80 °C
Conformity		EN615 compliant	EN615 compliant	EN615 compliant
Packaging single dose		-	1 Kg	-
Packaging bulk		3 Kg	3 Kg	3 Kg
		12,5 Kg	12,5 Kg	12,5 Kg
		25 Kg	25 Kg	25 Kg
		1.000 Kg	1.000 Kg	1.000 Kg
		Other packaging available on request with minimum order quantity	Other packaging available on request with minimum order quantity	Other packaging available on request with minimum order quantity



BIG BAG 1000 KG ABC POWDER



BAG 25 KG ABC POWDER



BAG 12,5 KG ABC POWDER



ANAF GROUP

Via del Commercio, 4 - 27020 Torre d'Isola (PV) - Italy

✉ +39 0382 4533 ✉ info@anaf.eu



[Anafgroup International](#)



[Anaf Fire Protection](#)

www.anaf.eu